	Application No.	Applicant(s)
Notice of Allowability	10/563,583	BEHRENS ET AL.
	Examiner	Art Unit
	Brenda A. Lamb	1792
The MAILING DATE of this communication apperall claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313 1. This communication is responsive to interview of 8/28/08. It	(OR REMAINS) CLOSED in this or other appropriate communical GHTS. This application is subjected and MPEP 1308.	s application. If not included ation will be mailed in due course. THIS ect to withdrawal from issue at the initiative
2. ⊠ The allowed claim(s) is/are <u>1-13</u> .		
3. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" on oted below. Failure to timely comply will result in ABANDONM	e been received. been received in Application Nocuments have been received in the communication to file a re	o this national stage application from the
 THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Inform 6. ☑ Interview Summ Paper No./Mail 7. ☑ Examiner's Ame 8. ☐ Examiner's Stat 9. ☐ Other	nary (PTO-413), Date

Application/Control Number: 10/563,583 Page 2

Art Unit: 1792

EXAMINER'S AMENDMENT

An extension of time under 37 CFR 1.136(a) is required in order to make an examiner's amendment which places this application in condition for allowance. During a telephone conversation conducted on 8/28/2008, Attorney Kueffner requested an extension of time for an additional MONTH(S) and authorized the Director to charge Deposit Account No. 11-1835 the required fee of \$ 340 for this extension and authorized the following examiner's amendment. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows: at lines 1-2 of claim 3 after "Claim 1," insert – further comprising at least one additional --; at line 3 of claim 3 after "the coating tank (3)" delete "and in the guide channel"; at line 19 of claim 1 after "flow deflection element" delete "(12, 12', 12", 13, 13')" and insert – for reducing turbulence of the coating metal (2) therein --; at lines 2-3 of claim 3 after "flow deflection element" delete "(12, 12', 12", 13, 13')"; at line 2 of claim 4 after "flow deflection element" delete "(12, 12', 12", 13, 13')"; at line 2 of claim 5 after "flow deflection element" delete "(13, 13')"; at line 2 of claim 9 after "flow deflection element" delete "(12, 12', 12", 13, 13')"; and at line 2 of claim 10 after "flow deflection element" delete "(13, 13')"; at line 2 of claim 5 and at line 2 of claim 10 after "wherein the" delete "one or more flow deflection elements are" and insert -- at least one flow deflection element is --.

Art Unit: 1792

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brenda A. Lamb whose telephone number is (571) 272-1231. The examiner can normally be reached on Monday-Tuesday and Thursday. The examiner can also be reached on alternate Wednesdays and Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nadine Norton, can be reached on (571) 272-1465. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Brenda A Lamb Primary Examiner Art Unit 1792

/B. A. L./

Primary Examiner, Art Unit 1792